


WALL TYPES			
TYPE	DETAIL	DESCRIPTION	REMARKS
A1		A) 1/2" GYP BOARD B) 3/8" METAL STUDS / 20 GA. / 16" O.C. C) 1/2" GYP BOARD	
A2		A) 1/2" GYP BOARD B) 3/8" METAL STUDS / 20 GA. / 16" O.C. C) 1/2" GYP BOARD D) SOUND INSULATION	
A3		A) 1/2" GYP BOARD W/ CERAMIC TILE WAINSCOT - SEE ELEVATIONS B) 6" METAL STUDS / 20 GA. / 16" O.C. C) FULL BATT SOUND INSULATION D) 1/2" GYP BOARD	NOTE: INSULATION TO HAVE A FLAME SPREAD RATING OF 75 OR LESS & A SMOKE-DEVELOPED RATING OF 450 OR LESS WHEN TESTED IN ACCORDANCE W/ ASTM E84
B1		A) 10" CONC. BLOCK UP TO 6" CONC. BLOCK FROM 24" A.F.F. TO TOP - PAINT SHOP SIDE B) BRICK VENEER C) FOAMED IN BLOCK INSULATION	
B2		A) 12" CONC. BLOCK UP TO 10" CONC. BLOCK FROM 24" A.F.F. TO TOP - PAINT SHOP SIDE B) BRICK VENEER C) FOAMED IN BLOCK INSULATION	ARCHITECTURAL PIERS
B3		A) 10" CONC. BLOCK UP TO 24" A.F.F. B) 8" CONC. BLOCK FROM 24" A.F.F. TO TOP - PAINT SHOP SIDE C) 1 1/2" GALV. METAL CHANNELS D) RIGID INSULATION E) 1/2" GYP BOARD W/ CERAMIC TILE WAINSCOT F) BRICK VENEER G) FOAMED IN BLOCK INSULATION	
B4		A) 10" CONC. BLOCK UP TO 24" A.F.F. B) 1 1/2" GALV. METAL CHANNELS C) RIGID INSULATION D) 1/2" GYP BOARD E) BRICK VENEER F) FOAMED IN BLOCK INSULATION G) GLAZING SYSTEM ABOVE	
B5		A) 8" CONC. BLOCK B) PAINT SHOP SIDE C) 1 1/2" GALV. FURRING CHANNELS D) 1/2" GYP BOARD / CERAMIC TILE WAINSCOT	
B6		A) 8" CONC. BLOCK B) PAINT SHOP SIDE C) 1 1/2" GALV. FURRING CHANNELS D) 1/2" GYP BOARD	
B7		A) 12" CONC. BLOCK B) PAINT SHOP SIDE C) 1 1/2" GALV. FURRING CHANNELS D) 1/2" GYP BOARD / CERAMIC TILE WAINSCOT (AT CUST ROOM SIDE)	B8 OMIT CERAMIC TILE WAINSCOT
B8		A) 12" CONC. BLOCK B) PAINT SHOP SIDE C) 1 1/2" GALV. FURRING CHANNELS D) 1/2" GYP BOARD (AT SHOW ROOM SIDE)	
B9		A) 8" CONC. BLOCK - PAINT BOTH SIDES	
B10		A) 12" CONC. BLOCK B) PAINT SHOP SIDE C) 1 1/2" GALV. FURRING CHANNELS D) 1/2" GYP BOARD / CERAMIC TILE WAINSCOT (AT CUST TOLLET)	
B11		A) 8" CONC. BLOCK UP TO 6" CONC. BLOCK FROM 24" A.F.F. TO TOP - PAINT SHOP SIDE B) BRICK VENEER C) FOAMED IN BLOCK INSULATION	



Foundation (Sill Block) Dimension Plan  
SCALE: 1/8" = 1'-0"

**39931 8 Mile Road**  
Northville Township, MI 48167

**Belle Tire**  
Northville Twp. MI  
Meijer Outlot #54

Owner Review: February 12, 2016  
Site Plan / Special Land Use: February 26, 2016  
Final Site Plan: May 25, 2016  
REVISED Final Site Plan: July 22, 2016  
BIDDING / PERMIT: February 16, 2017

**CONSTRAPPAR ENGINEERS**  
A PROFESSIONAL CORPORATION

629 E. Durant Avenue  
Suite 106  
Royal Oak, MI 48067  
248.258.6485 (O)  
248.330.9395 (C)  
centright@constrapparchitects.com

**Foundation / Sill Block Dimension Plan**

15-540

**A101A**