

WALL TYPES	TYPE	DETAIL	DESCRIPTION	REMARKS
	A1		A) 1/2" GYP BOARD B) 5/8" METAL STUDS C) 1/2" GYP BOARD	
	A2		A) 1/2" GYP BOARD B) 3/8" METAL STUDS C) 20 GA. / 16" O.C. D) SOUND INSULATION	
	A3		A) 1/2" GYP BOARD W/ CERAMIC ELEVATIONS - SEE ELEVATIONS B) 6" METAL STUDS C) FULL BATT SOUND INSULATION D) 1/2" GYP BOARD	NOTE: INSULATION TO HAVE 75 OR LESS 3" A SMOKE-DEVELOPED RATING OF 450 OR LESS WHEN TESTED IN ACCORDANCE W/ ASTM E84!
	B2		A) 1/2" CONC BLOCK UP TO 24" A.F.F. B) 1/2" GYP BOARD FROM SHOP SIDE C) BRICK VENEER D) FOAMED IN BLOCK INSULATION	ARCHITECTURAL PIERS
	B3		A) 10" CONC BLOCK UP TO 24" A.F.F. B) 8" CONC. BLOCK FROM 24" A.F.F. TO TOP - PAINT CHANNELS C) RIGID INSULATION D) 1/2" GYP BOARD W/ CERAMIC TILE WANSKOT E) BRICK VENEER F) FOAMED IN BLOCK INSULATION	
	B4		A) 10" CONC BLOCK UP TO 24" A.F.F. B) 1 1/2" GALV. METAL CHANNELS C) RIGID INSULATION D) 1/2" GYP BOARD E) BRICK VENEER F) FOAMED IN BLOCK INSULATION G) GLAZING SYSTEM ABOVE	
	B5		A) 8" CONC. BLOCK - PAINT SHOP SIDE B) 1 1/2" GALV. FURRING CHANNELS C) 1/2" GYP BOARD / CERAMIC TILE WANSKOT	
	B6		A) 8" CONC. BLOCK B) 1 1/2" GALV. FURRING CHANNELS C) 1/2" GYP BOARD	
	B7		A) 12" CONC. BLOCK B) 1 1/2" GALV. FURRING CHANNELS C) 1/2" GYP BOARD / CERAMIC TILE WANSKOT (AT CUST TOILET) D) 1/2" GYP BOARD (AT SHOW ROOM SIDE)	B8 OMIT CERAMIC TILE WANSKOT
	B8		A) 12" CONC. BLOCK B) 1 1/2" GALV. FURRING CHANNELS C) 1/2" GYP BOARD / CERAMIC TILE WANSKOT (AT CUST TOILET)	
	B9		A) 8" CONC. BLOCK - PAINT BOTH SIDES	
	B10		A) 12" CONC. BLOCK B) 1 1/2" GALV. FURRING CHANNELS C) 1/2" GYP BOARD / CERAMIC TILE WANSKOT (AT CUST TOILET)	
	B11		A) 8" CONC BLOCK UP TO INSULATION	
	B1		A) 10" CONC BLOCK UP TO 24" A.F.F. B) 5/8" METAL STUDS FROM SHOP SIDE C) BRICK VENEER D) FOAMED IN BLOCK INSULATION	

